Contact: Tony LeNeveu
AIRCAT, a Division of
Florida Pneumatic Manufacturing
Corporation
851 Jupiter Park Lane
Jupiter, FL 33458
Phone 800-327-9403
Fax 561-575-5574
tony@florida-pneumatic.com



Press Release

AIRCAT Pneumatic:

6400: 20,000RPM Tire Buffer/Drill

6402: 2,600RPM Tire Buffer 6403: 3,600RPM Tire Buffer

Designed for Auto Tech Professionals



Jupiter, FL December 2015: In April 2016 Florida Pneumatic Manufacturing Corporation is introducing its new series of low noise level tire buffers.

• FEATURES

- Internal silencing reduces noise levels by 50% compared to other tire buffers.
- All models feature a 0.75 HP stall resistant air motors, the air motor precision design also reducers air consumption by 30%.
- The composite molded grips increase comfort and insulate the operator's hand from the effects of cold air.
- The gears feature pressure sealed internal needle bearings that provide added gear life and eliminate the need to replace, or top-up the gear mechanism grease.
- All models are supplied with coaxial rear hose assemblies that provide fast hook-up and keep exhaust air away from the work area.
- Model 6400 is fitted with a 3/8" keyed chuck and features a built-in speed control, making this model suitable for use as both a tire buffer and straight drill at varying speeds.
- Model 6403 has a speed level of 3,600 RPM making this model suitable for re-capping as well as tire buffing. Models 6402 & 6403 are fitted with 5/16" internal hex quick change chucks and a threaded tire buffer cone mounting spindle and nut.

These and other AIRCAT tools are readily available from leading Tool & Equipment & Industrial Distributors.

For further information regarding the AIRCAT 6400, 6402 & 6403 and other AIRCAT tools please contact:

AIRCAT, a Division of Florida Pneumatic Manufacturing Corporation 851 Jupiter Park Lane, Jupiter, FL 33458 Toll free 800-327-9403 www.aircat.com tony@florida-pneumatic.com